



LESSON
7-6 **Practice C**
The Natural Base, e

Graph.

1. $f(x) = -e^{x+2}$



2. $f(x) = -e^{x-2}$



Simplify.

3. $\ln e^{5x-3}$

4. $\ln e^{2 \ln 8x}$

5. $e^{4 \ln(x-2)}$

6. $e^{-\ln 4 - x}$

7. $\ln e^{\sqrt{x}}$

8. $\ln e^{\frac{4}{x}}$

Solve.

9. Ariana has a choice of two investments. She can invest \$12,000 at 5% for 8 years, or she can invest \$9000 at 6.5% for 7 years. Both accounts are compounded continuously. Which investment will result in the greater amount of interest earned?

10. Use the natural decay function, $N(t) = N_0 e^{-kt}$, to find the age of a fossil containing 35% of the original amount of a particular substance. This substance has a half-life of 2450 years.

a. Find the decay constant.

b. Find the age of the fossil.

LESSON **Practice A**
7-6 The Natural Base, e

Graph each exponential function.


1. $f(x) = e^{-x}$

a. Complete the table.



x	-2	-1	0	1	2	3
$f(x)$	7.4	2.7	1	0.37	0.14	0.05

b. Graph the ordered pairs and draw a curve through the points.

2. $f(x) = 2 - e^x$



3. $f(x) = e^{2-x}$



Simplify.

4. $\ln e^{7x}$

$7x$

5. $\ln e^{x+4}$

$x + 4$

6. $e^{\ln x}$

x

7. $e^{3 \ln x}$

x^3

8. $e^{5 \ln(x+1)}$

$(x+1)^5$

9. $\ln e^{x-1}$

$x-1$

10. $x \cdot \ln e^3$

$3x$

11. $e^{-1 \cdot \ln 5x}$

$(5x)^{-1}$, or $\frac{1}{5x}$

12. $2 \ln e^x$

$2x$

Solve.

13. Use the formula $A = Pe^{rt}$ to find the total amount of an investment of \$5000 at 6% interest compounded continuously for 8 years.

$\$8080.37$

Copyright © by Holt, Rinehart and Winston. All rights reserved.


43

Holt Algebra 2


LESSON **Practice B**
7-6 The Natural Base, e

Graph.


1. $f(x) = e^{2x}$




2. $f(x) = e^{0.5x}$



3. $f(x) = e^{1+x}$



4. $f(x) = e^{2-x}$



Simplify.

5. $\ln e^{x+2}$

$x + 2$

6. $e^{\ln 2x}$

$2x$

7. $e^{7 \ln x}$

x^7

8. $\ln e^{3x+1}$

$3x + 1$

9. $\ln e$

1

10. $\ln e^{2x+y}$

$2x + y$

Solve.

11. Use the formula $A = Pe^{rt}$ to compute the total amount for an investment of \$4500 at 5% interest compounded continuously for 6 years.

$\$6074.36$

12. Use the natural decay function, $N(t) = N_0 e^{-kt}$, to find the decay constant for a substance that has a half-life of 1000 years.

0.000693

Copyright © by Holt, Rinehart and Winston. All rights reserved.


44

Holt Algebra 2


LESSON **Practice C**
7-6 The Natural Base, e

Graph.

1. $f(x) = -e^{x+2}$



2. $f(x) = -e^{x-2}$



Simplify.

3. $\ln e^{5x-3}$

$5x - 3$

4. $\ln e^{2 \ln 8x}$

$8x^2$

5. $e^{4 \ln(x-2)}$

$(x-2)^4$

6. $e^{-\ln 4 - x}$

$(4-x)^{-1}$, or $\frac{1}{4-x}$

7. $\ln e^{\sqrt{x}}$

\sqrt{x}

8. $\ln e^{\frac{4}{x}}$

$\frac{4}{x}$

Solve.

9. Ariana has a choice of two investments. She can invest \$12,000 at 5% for 8 years, or she can invest \$9000 at 6.5% for 7 years. Both accounts are compounded continuously. Which investment will result in the greater amount of interest earned?

The investment of \$12,000 will earn \$5901.90 in interest; the investment of \$9000 will earn \$5185.56 in interest. The first investment will earn more interest.

10. Use the natural decay function, $N(t) = N_0 e^{-kt}$, to find the age of a fossil containing 35% of the original amount of a particular substance. This substance has a half-life of 2450 years.

a. Find the decay constant.

0.000283

b. Find the age of the fossil.

3710 years

Copyright © by Holt, Rinehart and Winston. All rights reserved.

45

Holt Algebra 2

LESSON **Reteach**
7-6 The Natural Base, e

The natural logarithmic function, $f(x) = \ln x$, is the inverse of the exponential function with the natural base e , $f(x) = e^x$.

The constant e is an irrational number. $e \approx 2.71828\dots$

Properties of logarithms apply to the natural logarithm.

In particular:

$\ln 1 = 0$ The base is e and $e^0 = 1$.

$\ln e = 1$ Think: $e^1 = e$.

$\ln e^x = x$ The natural logarithm and the exponential function are inverses, so they undo each other.

$e^{\ln x} = x$

Use properties of logarithms to simplify expressions with e or " \ln ."

Simplify: $\ln e^{x+2}$

Step 1 Use the Power Property. "Bring down" the exponent to multiply.

$\ln e^{x+2}$
 $(x+2) \ln e$

$\ln e = 1$

Step 2 Simplify.
 $(x+2) \ln e$
 $x+2$

Simplify: $e^{4 \ln x}$

Step 1 Use the Power Property. Write the exponent.

$e^{4 \ln x}$

$e^{\ln x^4}$

$e^{\ln x^4} = x^4$

Step 2 Simplify.

x^4

Simplify each expression.

1. $\ln e^{-6x}$

$-6x \ln e$

$-6x$

2. $\ln e^{t-3}$

$(t-3) \ln e$

$t-3$

3. $e^{2 \ln x}$

$e^{\ln x^2}$

x^2

4. $\ln e^{1.8}$

$1.8 \ln e$

1.8

5. $\ln e^{x+1}$

$(x+1) \ln e$

$x+1$

6. $e^{7 \ln x}$

$e^{\ln x^7}$

x^7

Copyright © by Holt, Rinehart and Winston. All rights reserved.

46

Holt Algebra 2